



BIANCO CONSTRUCTION SUPPLIES PTY LTD
HEAD OFFICE: 42-56 GRAND JUNCTION ROAD,
KILBURN SA 5084
PHONE: (08) 8366 6666 | www.bianco.com.au



ATT: VOLUNTARY PRODUCT RECALL

Dear Valued Customer,

We would like to inform that we are conducting a voluntary product recall on the Honeywell Miller 1.8m Pole Strap # 136.1S (Bianco Product Code: 989563)

Product data sheet attached

This is due to the incorrect way the webbing has been threaded and supplied.

If you have purchased this product from Bianco Construction & Industrial Supplies since May 2025, please immediately cease using this product and return to Bianco Kilburn to inspect that the product purchased has been threaded correctly.

Correct Configuration



Incorrect Configuration



**Product Family****Miller Pole straps (AUS)**

Fully adjustable pole straps for work positioning applications.

Visit MillerFallProtection.com >**Honeywell**
MILLER**Product Numbers & Ordering Information**

Product Numbers	Details
	136.1S Webbing pole strap "48mm polyester webbing pole strap with 65mm heavy duty sleeve. Fitted with an adjuster which easily adjusts the working length of the strap. 19mm hooks each end, 1.8mtr length. Certified to AS/NZS 1891.1-2007"
	138.1S Webbing pole strap "48mm polyester webbing pole strap with 65mm heavy duty sleeve. Fitted with an adjuster which easily adjusts the working length of the strap. 19mm hooks each end, 2.4mtr length. Certified to AS/NZS 1891.1-2007"
	139.1S Webbing pole strap "48mm polyester webbing pole strap with 65mm heavy duty sleeve. Fitted with an adjuster which easily adjusts the working length of the strap. 19mm hooks each end, 2.7mtr length. Certified to AS/NZS 1891.1-2007"
	1312.1S Webbing pole strap "48mm polyester webbing pole strap with 65mm heavy duty sleeve. Fitted with an adjuster which easily adjusts the working length of the strap. 19mm hooks each end, 3.6mtr length. Certified to AS/NZS 1891.1-2007"

Additional Information

The pole strap adjuster is located on the hook and is within easy reach of the worker. A protective sleeve assists to maintain the life of the strap

Overview**Key Features**

The Miller Pole Strap range is fully adjustable, allowing for various work positioning applications. Available in 4 different lengths to suit the users requirements, the pole strap is used in applications such as line and pole top work to support a worker on a pole.

Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Food Services
- Forestry
- Manufacturing
- Mining
- Municipal Services
- Oil and Gas
- Steel and Metals
- Transportation
- Utilities

Hazards

- Confined Space
- Fall from height

Regulations

- Certified to Australian and New Zealand Standards AS/NZS 1891.1 - 2007.

Warranty Information

MILLER FALL PROTECTION PRODUCT TOTAL SATISFACTION ASSURANCE At Sperian Protection, we have been providing quality Miller brand fall protection equipment to millions of workers worldwide since 1945. **LIMITED LIFETIME WARRANTY** BACKED BY OVER 60 YEARS IN THE FALL PROTECTION BUSINESS We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous tests to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 1300 139 166 (Aust customers) or 0800 322 200 (NZ customers) Manufacturing specifications are subject to change without notice.

Specifications

Material

- 48mm polyester webbing with a 65mm heavy duty polyester sleeve

Weight

- 1.4kg

Lengths available

- 1.8mtrs, 2.4mtrs, 2.7mtrs, 3mtrs

Hook terminations

- 19mm opening double acting forged alloy steel hooks

Minimum adjustment

- 900mm

Literature & Documents

136 138 139 1312 Pole Straps AUS NZ 2016

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Temporary_Anchorage_Connectors/4294998713/1033.aspx

Miller Industry Fall Protection Guide Poster - AUS

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/24943/1033.aspx

Industry Fall Protection Guide Post 13 Sperian Protection Australia Pty Ltd 3 Walker St, Braeside, Victoria 3195 Australia
Tel: 1300 139 166 Fax: 1300 362 491 New Zealand Tel: 0800 322 200 www.sperianprotection.com.au POLYESTER CONSTRUCTION HARNESS WEBBING LANYARD ADJUSTABLE LANYARD MILLER ANCHOR GRIPSTM TIE-OFF ADAPTOR

Training & Proper Use

Please refer to product instruction sheets included with the products prior to use.

Additional Information

marketing.australia@sperianprotection.com or ph: 1300 139 166

Technical Support

1300 139 166 (Aust) or 0800 322 200 (NZ)

© Honeywell International Inc.